

ES 123



YEAST FOR FRUITY WHITE WINES

ES123 is a strain selected for the production of intensely fruity white wines made from neutral grapes.

SENSORY CHARACTERISTICS

ES123 is a yeast recommended for the fermentation of neutral white grapes to enhance the aromatic quality via the production of intense secondary aromas. With adequate amino acid nutrition at the beginning of fermentation this strain synthesizes compounds that contribute notes of fresh fruit (green apple and citrus) and flowers.

Owing to the stability of these secondary aromas, **ES123** is also recommended for fermentation of wines destined for distillate production.

MICROBIOLOGICAL CHARACTERISTICS

Fermentation temperature 15 - 25°C (59-77°F)

Lag phaseshortFermentation speedmoderateAlcohol tolerance $\leq 14\% \text{ v/v}$ Killer factorkiller

Resistance to free SO₂ high (50 mg/L free SO₂)

ENOLOGICAL CHARACTERISTICS

Foam production low

Compatibility with the malolactic fermentation: low, it delays the start of MLF

APPLICATIONS

Young white wines obtained from grapes poor in primary aromas Rosé wines
Wine destined to the production of brandy
Wines with residual sugar
Late harvest sweet wines



ES 123



MAXIMIZING QUALITY

To enhance the production of aromatic compounds, it is recommended that juices fermented with **ES123** have turbidities between 90-150 NTU and temperatures between 17-20°C (63-68°F).

Yeast multiplication and aromatic intensity are improved when this strain is nutritionally supplemented with **Nutriferm Arom or Nutriferm Arom Plus** at inoculation and **Nutriferm Advance** at 1/3 of fermentation.

Using Enartis Pro Arom during fermentation protects and stabilizes secondary aromas

DOSAGE

20-40 g/hL (1.67 - 3.3 lb/1000 gal)

The highest dosages are recommended in case of rotten grapes, high sugar content and difficult microbiological conditions.

INSTRUCTIONS FOR USE

- Suspend dry yeast in 10 times its weight of clean, warm (35-38°C or 95-100°F) water. Stir gently.
- Let suspension stand for 20 minutes, then stir gently again.
- Add suspension to juice when beginning to fill the fermentation tank. The difference in temperature between yeast suspension and juice should not exceed 10°C (50°F).
- Homogenize by pumping over or mixing inoculated juice.

Working to the above-mentioned times and methods ensures maximum activity of re-hydrated yeast.

PACKAGING AND STORAGE

Vacuum packed in 0.5 and 10 kg

Sealed package: store in a cool (preferably 5-15°C or 41-59°F), dry place. Opened package: carefully reseal and store as indicated above; use quickly.

Product approved for winemaking by the TTB.

Legal Limit: N/A

Product is in compliance with the Codex Œnologique International.

Product approved for winemaking in accordance with

Reg. (EC) N. 606/2009

Contains E 491 Sorbitan monostearate